

INDEX

	PAGE
Astrophysics:	
— The free-free transitions of the negative hydrogen ion in the exchange approximation, <i>T. L. John</i>	93
— Continuous absorption by the carbon negative ion, <i>V. P. Myerscough and M. R. C. McDowell</i>	287
— Light scattering by small graphite spheres, <i>E. A. Margerum and V. Vand...</i>	431
<i>Beer, A.</i> , Photoelectric distances of 461 Northern OB-stars and galactic structure from H _γ -luminosities	261
<i>Beggs, D. W., D. E. Blackwell, D. W. Dewhirst and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization	419
<i>Bell, R. A. and A. W. Rodgers</i> , The atmosphere of β Doradus, II. Line profiles, half-widths and central depths	365
<i>Blackwell, D. E., D. W. Beggs, D. W. Dewhirst and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization	419
<i>Bondi, H. and R. A. Lyttleton</i> , The formation of spiral arms of galaxies	207
<i>Bonnor, W. B.</i> , On Olbers' paradox	33
<i>Buscombe, W. and C. R. Dickens</i> , Luminosity classification of G-type stars	499
Celestial mechanics and stellar dynamics:	
— Local stability in rapidly rotating collisionless stellar systems, <i>P. A. Sweet and D. D. McGregor</i>	195
<i>Davies, L. B., J. Ring and M. J. Selby</i> , Electron densities in gaseous nebulae	399
<i>Davies, M. and W. Davidson</i> , Interpretation of the Shakeshaft-Scheuer data in terms of the 4-parameter evolutionary models	363
<i>Davidson, W. and M. Davies</i> , Interpretation of the Shakeshaft-Scheuer data in terms of the 4-parameter evolutionary models	363
<i>Davies, R. D.</i> , A search for intergalactic neutral hydrogen, II. Data of cosmological significance derived from the observations	133
<i>Davies, R. D.</i> , The galactic spur	173
<i>Davies, R. D. and R. C. Jennison</i> , A search for intergalactic neutral hydrogen, I. The observations	123
<i>Dewhirst, D. W., D. W. Beggs, D. E. Blackwell and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization	419
<i>Dickens, C. R. and W. Buscombe</i> , Luminosity classification of G-type stars	499
Extragalactic systems:	
— Radio sources and rich clusters of galaxies, <i>J. D. H. Pilkington</i>	103
— Wolf-Rayet stars in the Large Magellanic Cloud, <i>B. E. Westerlund and L. F. Smith</i>	311
— Electron densities and masses of diffuse nebulae in the Magellanic Clouds, <i>M. W. Feast</i>	327
<i>Feast, M. W.</i> , Electron densities and masses of diffuse nebulae in the Magellanic Clouds	327
Galactic nebulae:	
— Electron densities in gaseous nebulae, <i>L. B. Davies, J. Ring and M. J. Selby</i>	399
Galactic structure:	
— The galactic spur, <i>R. D. Davies</i>	173
— The formation of spiral arms of galaxies, <i>R. A. Lyttleton and H. Bondi</i>	207
— Photoelectric distances of 461 Northern OB-stars and galactic structure from H _γ -luminosities	261
<i>Goyal, A. N.</i> , General investigation on the counts of doubles in the Oxford Astrographic Catalogues $+25^{\circ}$ to $+33^{\circ}$, Hyderabad Astrographic Catalogues $+36^{\circ}$ to $+39^{\circ}$ and -17° to -23° with an angular separation less than $15''$	493
<i>Griffin, R. F.</i> , The spectrum of Arcturus in the far infrared	187
<i>Imrie, K. S., J. E. B. Ponsonby and J. H. Thomson</i> , Radar observations of Venus and a determination of the astronomical unit, 1962	1
<i>Jennison, R. C. and R. D. Davies</i> , A search for intergalactic neutral hydrogen, I. The observations	123
<i>John, T. L.</i> , The free-free transitions of the negative hydrogen ion in the exchange approximation	93
<i>Klotz, A. H.</i> , A note on Giau's theory of cosmological models	255
<i>Kristenson, H.</i> , Solar limb emission between the Balmer and Paschen limits	113
<i>Lyttleton, R. A. and H. Bondi</i> , The formation of spiral arms of galaxies	207

INDEX

	PAGE
Astrophysics:	
— The free-free transitions of the negative hydrogen ion in the exchange approximation, <i>T. L. John</i> ...	93
— Continuous absorption by the carbon negative ion, <i>V. P. Myerscough and M. R. C. McDowell</i> ...	287
— Light scattering by small graphite spheres, <i>E. A. Margerum and V. Vand...</i> ...	431
<i>Beer, A.</i> , Photoelectric distances of 461 Northern OB-stars and galactic structure from H _γ -luminosities ...	261
<i>Beggs, D. W., D. E. Blackwell, D. W. Dewhirst and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization ...	419
<i>Bell, R. A. and A. W. Rodgers</i> , The atmosphere of β Doradus, II. Line profiles, half-widths and central depths ...	365
<i>Blackwell, D. E., D. W. Beggs, D. W. Dewhirst and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization ...	419
<i>Bondi, H. and R. A. Lyttleton</i> , The formation of spiral arms of galaxies ...	207
<i>Bonnor, W. B.</i> , On Olbers' paradox ...	33
<i>Buscombe, W. and C. R. Dickens</i> , Luminosity classification of G-type stars ...	499
Celestial mechanics and stellar dynamics:	
— Local stability in rapidly rotating collisionless stellar systems, <i>P. A. Sweet and D. D. McGregor</i> ...	195
<i>Davies, L. B., J. Ring and M. J. Selby</i> , Electron densities in gaseous nebulae ...	399
<i>Davies, M. and W. Davidson</i> , Interpretation of the Shakeshaft-Scheuer data in terms of the 4-parameter evolutionary models ...	363
<i>Davidson, W. and M. Davies</i> , Interpretation of the Shakeshaft-Scheuer data in terms of the 4-parameter evolutionary models ...	363
<i>Davies, R. D.</i> , A search for intergalactic neutral hydrogen, II. Data of cosmological significance derived from the observations ...	133
<i>Davies, R. D.</i> , The galactic spur ...	173
<i>Davies, R. D. and R. C. Jennison</i> , A search for intergalactic neutral hydrogen, I. The observations ...	123
<i>Dewhirst, D. W., D. W. Beggs, D. E. Blackwell and R. D. Wolstencroft</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization ...	419
<i>Dickens, C. R. and W. Buscombe</i> , Luminosity classification of G-type stars ...	499
Extragalactic systems:	
— Radio sources and rich clusters of galaxies, <i>J. D. H. Pilkington</i> ...	103
— Wolf-Rayet stars in the Large Magellanic Cloud, <i>B. E. Westerlund and L. F. Smith</i> ...	311
— Electron densities and masses of diffuse nebulae in the Magellanic Clouds, <i>M. W. Feast</i> ...	327
<i>Feast, M. W.</i> , Electron densities and masses of diffuse nebulae in the Magellanic Clouds ...	327
Galactic nebulae:	
— Electron densities in gaseous nebulae, <i>L. B. Davies, J. Ring and M. J. Selby</i> ...	399
Galactic structure:	
— The galactic spur, <i>R. D. Davies</i> ...	173
— The formation of spiral arms of galaxies, <i>R. A. Lyttleton and H. Bondi</i> ...	207
— Photoelectric distances of 461 Northern OB-stars and galactic structure from H _γ -luminosities ...	261
<i>Goyal, A. N.</i> , General investigation on the counts of doubles in the Oxford Astrographic Catalogues $+25^{\circ}$ to $+33^{\circ}$, Hyderabad Astrographic Catalogues $+36^{\circ}$ to $+39^{\circ}$ and -17° to -23° with an angular separation less than $15''$...	493
<i>Griffin, R. F.</i> , The spectrum of Arcturus in the far infrared ...	187
<i>Imrie, K. S., J. E. B. Ponsonby and J. H. Thomson</i> , Radar observations of Venus and a determination of the astronomical unit, 1962 ...	1
<i>Jennison, R. C. and R. D. Davies</i> , A search for intergalactic neutral hydrogen, I. The observations ...	123
<i>John, T. L.</i> , The free-free transitions of the negative hydrogen ion in the exchange approximation ...	93
<i>Klotz, A. H.</i> , A note on Giau's theory of cosmological models ...	255
<i>Kristenson, H.</i> , Solar limb emission between the Balmer and Paschen limits ...	113
<i>Lyttleton, R. A. and H. Bondi</i> , The formation of spiral arms of galaxies ...	207

Index

(iii)

	PAGE
<i>Margerum, E. A. and V. Vand</i> , Light scattering by small graphite spheres	431
<i>McCrea, W. H.</i> , Extended main-sequence of some stellar clusters	147
<i>McCrea, W. H.</i> , Continual creation... ..	335
<i>McDowell, M. R. C. and V. P. Myerscough</i> , Continuous absorption by the carbon negative ion	287
<i>McGregor, D. D. and P. A. Sweet</i> , Local stability in rapidly rotating collisionless stellar systems	195
<i>Myerscough, V. P. and M. R. C. McDowell</i> , Continuous absorption by the carbon negative ion	287
<i>Peat, D. W.</i> , H α Photometry of late-type stars, I. F, G and K-type stars north of the equator	435
<i>Peat, D. W.</i> , Photometry of the orange-red Ca I triplet in late-type stars	475
<i>Peek, B. M.</i> , Correlation between the varying rotation periods of Jupiter's Great Red Spot and North Equatorial Current	509
<i>Petrie, R. M.</i> , The solar motion determined from some nearby B stars	245
<i>Piddington, J. H.</i> , The magnetic fields and radio emission of galaxies	345
<i>Pilkington, J. D. H.</i> , Radio sources and rich clusters of galaxies	103
Planets:	
— Correlation between the varying rotation periods of Jupiter's Great Red Spot and North Equatorial Current, <i>B. M. Peek</i>	509
<i>Ponsonby, J. E. B., J. H. Thomson and K. S. Imrie</i> , Radar observations of Venus and a determination of the astronomical unit, 1962	1
<i>Pottasch, S. R.</i> , On the chemical composition of the solar corona... ..	73
Radio astronomy:	
— A survey of the linearly polarized component of galactic radio emission at 408 Mc/s, <i>R. Wielebinski and J. R. Shakeshaft</i>	19
— On a possible class of galactic radio sources, <i>D. W. Sciama</i>	49
— A search for intergalactic neutral hydrogen, I. The observations, <i>R. D. Davies and R. C. Jennison</i>	123
— The magnetic fields and radio emission of galaxies, <i>J. H. Piddington</i>	345
<i>Refsdal, S.</i> , The gravitational lens effect	295
<i>Refsdal, S.</i> , On the possibility of determining Hubble's parameter and the masses of galaxies from the gravitational lens effect	307
<i>Ring, J., L. B. Davies and M. J. Selby</i> , Electron densities in gaseous nebulae	399
<i>Rodgers, A. W. and R. A. Bell</i> , The atmosphere of β Doradus, II. Line profiles, half-widths and central depths	365
<i>Roxburgh, I. W.</i> , On stellar rotation, I. The rotation of upper main-sequence stars	157
<i>Roxburgh, I. W.</i> , On stellar rotation, II. The rotation of lower main-sequence stars	237
<i>Scheuer, P. A. G. and J. R. Shakeshaft</i> , Comment on " Interpretation of the counts of radio sources in terms of a 4-parameter family of evolutionary universes " by W. Davidson and M. Davies	361
<i>Sciama, D. W.</i> , On a possible class of galactic radio sources	49
<i>Selby, M. J., L. B. Davies and J. Ring</i> , Electron densities in gaseous nebulae	399
<i>Shakeshaft, J. R. and P. A. G. Scheuer</i> , Comment on " Interpretation of the counts of radio sources in terms of a 4-parameter family of evolutionary universes " by W. Davidson and M. Davies	361
<i>Shakeshaft, J. R. and R. Wielebinski</i> , A survey of the linearly polarized component of galactic radio emission at 408 Mc/s	19
<i>Smith, L. F. and B. E. Westerlund</i> , Wolf-Rayet stars in the Large Magellanic Cloud	311
Solar system:	
— Radar observations of Venus and a determination of the astronomical unit, 1962, <i>J. E. B. Ponsonby, J. B. Thomson and K. S. Imrie</i>	1
— Extension of the Betti-Ritter formula to the gravitational energy of the planets, <i>S. Yabushita</i>	249
Stars, binary:	
— General investigation on the counts of doubles in the Oxford Astrographic Catalogues +25° to +33°, Hyderabad Astrographic Catalogues +36° to +39° and -17° to -23° with an angular separation less than 15", <i>A. N. Goyal</i>	493
Stars, groups and clusters of:	
— Possible spread in the ages of stars in a stellar cluster, <i>I. P. Williams</i>	389
Stars, magnitudes of:	
— Luminosity classification of G-type stars, <i>W. Buscombe and C. R. Dickens</i>	499
Stars, motions of:	
— The solar motion determined from some nearby B stars, <i>R. M. Petrie</i>	245

	PAGE
Stars, spectra of:	
— The spectrum of Arcturus in the far infrared, <i>R. F. Griffin</i>	187
— The atmosphere of β Doradus, II. Line profiles, half-widths and central depths, <i>R. A. Bell and A. W. Rodgers</i>	365
— H α Photometry of late-type stars, I. F, G and K-type stars north of the equator, <i>D. W. Peat</i>	435
— Photometry of the orange-red Ca I triplet in late-type stars, <i>D. W. Peat</i>	475
Stars, structure and evolution of:	
— Extended main-sequence of some stellar clusters, <i>W. H. McCrea</i>	147
— On stellar rotation, I. The rotation of upper main-sequence stars, <i>I. W. Roxburgh</i>	157
— On stellar rotation, II. The rotation of lower main-sequence stars, <i>I. W. Roxburgh</i>	237
Sun:	
— Departures from local thermodynamic equilibrium in the solar atmosphere, <i>B. Warner</i>	63
— On the chemical composition of the solar corona, <i>S. R. Pottasch</i>	73
— Solar limb emission between the Balmer and Paschen limits, <i>H. Kristenson</i>	113
— Magnetic flux tubes and convection in the Sun, <i>N. O. Weiss</i>	225
<i>Sweet, P. A. and D. D. McGregor</i> , Local stability in rapidly rotating collisionless stellar systems	195
<i>Thomson, J. H., J. E. B. Ponsonby and K. S. Imrie</i> , Radar observations of Venus and a determination of the astronomical unit, 1962	1
Universe—Cosmology:	
— On Olbers' paradox, <i>W. B. Bonnor</i>	33
— A search for intergalactic neutral hydrogen, II. Data of cosmological significance derived from the observations, <i>R. D. Davies</i>	133
— A note on Giau's theory of cosmological models, <i>A. H. Klotz</i>	255
— The gravitational lens effect, <i>S. Refsdal</i>	295
— On the possibility of determining Hubble's parameter and the masses of galaxies from the gravitational lens effect, <i>S. Refsdal</i>	307
— Continual creation, <i>W. H. McCrea</i>	335
— Comment on "Interpretation of the counts of radio sources in terms of a 4-parameter family of evolutionary universes" by W. Davidson and M. Davies, <i>P. A. G. Scheuer and J. R. Shakeshaft</i>	361
— Interpretation of the Shakeshaft-Scheuer data in terms of the 4-parameter evolutionary models, <i>W. Davidson and M. Davies</i>	363
<i>Vand, V. and E. A. Margerum</i> , Light scattering by small graphite spheres	431
<i>Warner, B.</i> , Departures from local thermodynamic equilibrium in the solar atmosphere	63
<i>Wielebinski, R. and J. R. Shakeshaft</i> , A survey of the linearly polarized component of galactic radio emission at 408 Mc/s	19
<i>Weiss, N. O.</i> , Magnetic flux tubes and convection in the Sun	225
<i>Westerlund, B. E. and L. F. Smith</i> , Wolf-Rayet stars in the large Magellanic Cloud	311
<i>Williams, I. P.</i> , Possible spread in the ages of stars in a stellar cluster	389
<i>Wolstencroft, R. D., D. W. Beggs, D. E. Blackwell and D. W. Dewhurst</i> , Further observations of the zodiacal light from a high altitude station and investigation of the interplanetary plasma, III. Photoelectric measurements of polarization	419
<i>Yabushita, S.</i> , Extension of the Betti-Ritter formula to the gravitational energy of the planets	249
Zodiacal light:	
— Further observations of the zodiacal light from a high altitude station and investigations of the interplanetary plasma, III. Photoelectric measurements of polarization, <i>D. W. Beggs, D. E. Blackwell, D. W. Dewhurst and R. D. Wolstencroft</i>	419

